


惠州市博罗县2024年度第四十三批次城镇建设用(地块一)




界址点坐标表				界址点坐标表			
点号	X	Y	边长	点号	X	Y	边长
1	256507.52	535497.47		121	256540.12	535544.28	
2	256508.04	535498.73	1.11	122	256539.53	535544.69	17.72
3	256509.02	535501.64	3.41	123	256537.69	535544.93	7.45
4	256510.17	535502.72	1.11	124	256536.63	535545.55	7.27
5	256511.57	535511.66	0.67	125	256532.70	535552.68	8.27
6	256513.11	535512.33	6.70	126	256541.34	535558.83	21.51
7	256512.09	535518.95	0.19	127	256541.55	535558.55	8.60
8	256512.07	535518.95	6.62	128	256542.23	535559.08	8.58
9	256513.06	535521.98	0.34	129	256543.02	535559.33	17.28
10	256510.92	535523.98	16.61	130	256543.02	535559.33	21.67
11	256549.52	535528.56	11.09	131	256543.08	535559.08	23.34
12	256540.63	535530.70	9.39	132	256547.93	535516.29	8.53
13	256547.62	535532.02	4.98	133	256548.78	535517.97	8.53
14	256540.73	535524.87	8.94	134	256548.02	535518.35	2.87
15	256546.81	535527.28	10.41	135	256548.32	535518.21	0.67
16	256542.68	535543.19	9.23	136	256548.93	535518.50	0.99
17	256544.92	535548.18	12.77	137	256548.93	535518.50	0.99
18	256545.58	535550.91	19.20	138	256548.56	535528.66	0.99
19	256541.46	535560.94	13.67	139	256548.65	535528.22	0.99

界址点坐标表			界址点坐标表		
点号	X	Y	点号	X	Y
J29	2565486.45	535508.77	J58	2565302.81	535504.24
J30	2565487.13	535502.77	0.99	2565503.50	535494.80
J31	2565488.22	535507.23	0.99	2565504.19	535499.26
J32	2565489.10	535504.88	0.99	2565505.07	535498.02
J33	2565489.99	535506.44	0.99	2565505.67	535498.63
J34	2565490.88	535505.99	0.99	2565506.48	535498.18
J35	2565491.76	535503.53	0.99	2565506.85	535498.05
J36	2565492.63	535503.10	0.99	2565507.54	535497.71
J37	2565493.54	535504.88	0.99	2565507.98	535497.70
J38	2565494.42	535504.22	0.99		
J39	2565495.31	535503.77	0.99		
J40	2565496.20	535503.23	0.99		
J51	2565497.09	535502.89	0.99		
J52	2565497.97	535502.43	0.99		
J53	2565498.86	535502.01	0.57		
J54	2565499.73	535501.75	0.42		
J55	2565499.73	535501.56	0.99		
J56	2565500.63	535501.12	0.99		
J57	2565501.52	535500.68	0.99		
J58	2565502.41	535500.24	0.99		

中煤航测遥感集团有限公司
杭州湾高速公路
工程测绘服务

2000 国家大地坐标系
1985 国家高程基准
GB/T 20257.1-2017 国家基本比例尺地形图图式 第1部分
1:500 1:1000 1:2000 地形图图式
2024 年4月制图

惠州市博罗县2024年度第四十三批次城镇建设用(地块二)



中煤航测遥感集团有限公司
测绘工程

2000 国家大地坐标系
1985 国家高程基准
GB/T 20257.1—2017 国家基本比例尺地形图图式 第1部分
1:500 1:1000 1:2000 地形图图式
2024 年4月制测


界址点坐标表				界址点坐标表			
点号	点号	边长	方位角	点号	点号	边长	方位角
101	20614725.02	933725.20	1.62	103	20614819.08	934041.81	0.76
102	20614730.99	933736.65	1.63	104	20614878.06	934052.72	0.76
103	20614736.82	933749.19	19.41	105	20614920.28	934055.25	0.43
104	20614753.59	933764.81	19.41	106	20614926.63	934055.44	0.43
105	20614760.02	933776.82	19.41	107	20614954.33	934055.44	0.43
106	20614776.71	933789.27	0.22	108	20614971.21	934056.48	0.59
111	20614776.71	933789.94	19.41	109	20614971.39	934056.37	0.59
112	20614780.33	933797.12	19.41	110	20614971.58	934057.27	0.59
113	20614743.06	933782.52	11.56	111	20614972.20	934057.11	0.59
114	20614755.41	933791.16	18.68	112	20614972.39	934057.43	0.75
115	20614901.89	933812.41	23.69	113	20614972.90	934057.43	0.75
116	20614918.91	933812.62	18.68	114	20614973.13	934057.69	0.43
117	20614909.05	933769.35	14.42	115	20614973.32	934058.07	0.43
118	20614918.33	933784.67	0.57	116	20614973.51	934058.07	0.43
119	20614918.33	933846.67	1.62	117	20614973.70	934058.79	0.34
120	20614918.34	933849.09	1.00	118	20614974.30	934059.07	0.57
121	20614918.33	933849.32	0.59	119	20614974.89	934059.68	0.74
122	20614918.33	933849.38	0.59	120	20614975.11	934059.68	0.74
123	20614918.33	933849.38	0.59	121	20614975.30	934059.68	0.74
124	20614918.33	933849.38	0.59	122	20614975.48	934059.68	0.74

界址点坐标表				界址点坐标表			
点号	点号	边长	点号	点号	边长	点号	点号
1102	1246823.48	515660.38	0.48	1121	1246870.08	515678.48	0.48
1103	1246823.48	515660.74	0.48	1122	1246871.07	515678.88	0.48
1104	1246823.48	515660.18	0.48	1123	1246871.23	515677.18	0.48
1105	1246828.28	515657.08	0.48	1124	1246873.38	515677.22	0.48
1106	1246828.28	515657.48	0.48	1125	1246873.38	515677.18	0.48
1107	1246828.28	515657.93	0.48	1126	1246873.77	515676.22	0.48
1108	1246827.08	515657.93	0.48	1127	1246821.98	515676.12	0.48
1109	1246827.34	515658.33	0.48	1128	1246821.98	515676.18	0.48
1110	1246827.34	515658.33	0.48	1129	1246822.42	515676.18	0.48
1111	1246827.34	515657.73	0.48	1130	1246822.42	515676.18	0.48
1112	1246828.32	515671.38	0.48	1131	1246823.07	515676.18	0.48
1113	1246828.32	515671.78	0.48	1132	1246823.53	515676.18	0.48
1114	1246828.32	515671.25	0.48	1133	1246823.88	515676.18	0.48
1115	1246828.32	515671.25	0.48	1134	1246823.88	515676.18	0.48
1116	1246828.32	515671.38	0.48	1135	1246824.43	515676.18	0.48
1117	1246828.32	515671.38	0.48	1136	1246824.71	515676.18	0.48
1118	1246828.32	515671.48	0.48	1137	1246824.92	515676.18	0.48
1119	1246828.32	515671.28	0.48	1138	1246825.29	515676.18	0.48
1120	1246828.32	515671.28	0.48	1139	1246825.29	515676.18	0.48
1121	1246828.32	515671.28	0.48	1140	1246825.29	515676.18	0.48

界址点坐标表					界址点坐标表				
点号	x	y	边长	方位角	点号	x	y	边长	方位角
1	2564381.93	335683.45	0.92	118	2108119.81	935096.17	0.83	330	330
2	2564876.34	335698.24	0.92	118	2108119.81	935096.17	0.83	330	330
3	2564876.17	335698.00	0.92	118	2108119.81	935096.17	0.83	330	330
4	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
5	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
6	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
7	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
8	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
9	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
10	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
11	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
12	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
13	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
14	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
15	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
16	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
17	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
18	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
19	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
20	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
21	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
22	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
23	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
24	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
25	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
26	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
27	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
28	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
29	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
30	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
31	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
32	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
33	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
34	2564876.02	335687.61	0.61	118	2108119.81	935096.17	0.83	330	330
35	2564876.02	335687.61	0.61	118					

界址点坐标表				界址点坐标表			
点号	点号	坐标	点号	点号	坐标	点号	点号
1	2177	68478.78	1	2177	68478.78	1	2177
2	2178	68487.31	2	2178	68487.31	2	2178
3	2179	68484.82	3	2179	68484.82	3	2179
4	2180	68487.87	4	2180	68487.87	4	2180
5	2181	68486.47	5	2181	68486.47	5	2181
6	2182	68483.61	6	2182	68483.61	6	2182
7	2183	68483.75	7	2183	68483.75	7	2183
8	2184	68486.75	8	2184	68486.75	8	2184
9	2185	68487.91	9	2185	68487.91	9	2185
10	2186	68487.04	10	2186	68487.04	10	2186
11	2187	68487.02	11	2187	68487.02	11	2187
12	2188	68472.81	12	2188	68472.81	12	2188
13	2189	68473.39	13	2189	68473.39	13	2189
14	2190	68473.39	14	2190	68473.39	14	2190
15	2191	68472.81	15	2191	68472.81	15	2191
16	2192	68473.56	16	2192	68473.56	16	2192
17	2193	68473.56	17	2193	68473.56	17	2193
18	2194	68473.56	18	2194	68473.56	18	2194
19	2195	68473.56	19	2195	68473.56	19	2195
20	2196	68473.56	20	2196	68473.56	20	2196

惠州市博罗县2024年度第四十三批次城镇建设用地(地块三)



界址点坐标表

点号	X	Y	边长
J217	2564680.86	535331.40	8.51
J218	2564682.13	535339.82	19.86
J219	2564685.11	535339.16	28.37
J220	2564690.07	535387.39	28.37
J221	2564695.75	535415.19	28.37
J222	2564702.13	535442.83	28.37
J223	2564709.22	535470.31	28.37
J224	2564717.00	535497.59	28.37
J225	2564725.47	535524.67	28.37
J226	2564734.63	535551.52	28.37
J227	2564744.48	535578.13	28.37
J228	2564754.99	535604.48	100.85
J13	2564793.57	535697.66	104.58
J230	2564713.27	535630.66	1.17
J231	2564712.85	535629.56	3.08
J232	2564711.76	535626.68	3.08
J233	2564710.67	535623.79	3.31
J234	2564709.52	535620.70	1.26
J235	2564709.26	535619.46	3.11
J236	2564708.62	535616.42	

界址点坐标表

点号	X	Y	边长
J236	2564708.62	535616.42	3.11
J237	2564707.99	535613.38	3.17
J238	2564707.36	535610.27	1.11
J239	2564707.19	535609.17	1.15
J240	2564707.02	535608.03	8.81
J241	2564705.72	535599.32	11.06
J242	2564702.18	535588.85	10.16
J243	2564698.89	535579.23	10.15
J244	2564695.91	535569.52	5.71
J245	2564694.24	535564.06	4.47
J246	2564692.65	535559.88	10.26
J247	2564688.73	535550.40	10.51
J248	2564683.72	535541.16	10.50
J249	2564683.90	535530.66	10.19
J250	2564682.39	535520.58	10.16
J251	2564680.22	535510.65	10.16
J252	2564677.72	535500.80	10.70
J253	2564672.37	535491.53	28.05
J254	2564660.01	535466.36	2.07
J255	2564661.22	535464.68	

界址点坐标表

点号	X	Y	边长
J255	2564661.22	535464.68	14.95
J256	2564669.59	535452.29	10.67
J257	2564670.17	535441.64	10.38
J258	2564669.40	535431.28	10.38
J259	2564668.75	535420.93	10.53
J260	2564669.19	535410.40	10.28
J261	2564667.26	535400.31	10.63
J262	2564662.99	535390.57	10.40
J263	2564660.03	535380.60	10.64
J264	2564656.01	535370.74	11.48
J265	2564649.71	535361.14	10.97
J266	2564644.90	535351.28	15.52
J267	2564638.10	535337.33	13.16
J217	2564680.86	535331.40	
S=13603.04 平方米 合20.40亩			

中煤航测遥感集团有限公司

